

# ■ KX-NT5 SERIES (KX-NT500, KX-NT550 SERIES)



The KX-NT5 Series IP telephones take you to a new dimension in audio experience through excellent HD quality audio on every phone, combined with easy access to powerful supportive features and applications. The sleek, ultra-modern design, available in both black or white colour options, works well with any office decor.

Packed with a whole host of features, the KX-NT5 Series IP telephones could not be simpler to use. The phones have large alphanumeric displays, Bluetooth® module built in providing wireless headset support, easy navigation key and a second IP port to reduce desktop cable clutter.

## High Definition 'HD' Audio

The KX-NT5 Series of IP terminals offers 'best in class' audio quality, meaning fewer repeated conversations and misheard calls. Offering Wideband High Definition Audio as standard across the range, the KX-NT5 Series offer G.722, G.711, G.726 and G.729a Codecs.

## LCD Displays

Large, clear LCD displays with intuitive user interface offer fast access to phonebooks and features.

## Electric Hook Switch

A built-in Electronic Hook Switch (Plantronics compliant) port allows the KX-NT5 Series IP Terminals to have access to the Plantronics range of DECT enabled headsets. This offers a range of portability and comfort as frequent users are able to move around freely, without being tied down by handsets. The KX-NT560 also supports Bluetooth® headsets.

The KX-NT550 Series IP telephones offer a gigabit LAN/PC port, meeting the increasing requirements of office IP networks and, on some models, a self-labelling feature which makes the initial setting and remote maintenance easier. It also supports DSS connectivity for operator-type users.



## KX-NT560

### Executive IP Phone

- 4.4" LCD display with backlighting
- Plantronics wireless headset (EHS)-compatible
- 32 (8x4) freely programmable function keys
- 2 Ethernet ports (1000 Base-T)
- Power-over-Ethernet (PoE)
- Integrated Bluetooth®
- Eco Mode
- Available in black or white



## KX-NT546/KX-NT543

### Standard IP Phone

- 6-line display with backlighting (KX-NT546)  
/3-line display with backlighting (KX-NT543)
- Plantronics wireless headset (EHS)-compatible
- 24 freely programmable function keys
- 2 Ethernet ports (1000 Base-T)
- Power-over-Ethernet (PoE)
- Eco Mode
- Available in black or white



## KX-NT556/KX-NT553

### Executive IP Phone

- 6-line LCD display with backlighting (KX-NT556)  
/3-line LCD display with backlighting (KX-NT553)
- 36 (12x3)/24 (12x2) freely programmable function keys
- 2 Ethernet ports (1000 Base-T)
- Power-over-Ethernet (PoE)
- Plantronics and GN Netcom Jabra wireless headset (EHS)-compatible
- Eco mode
- Optional Wall Mount Kit
- Optional KX-NT505 console
- Available in black or white



## KX-NT551

### Standard IP Phone

- 1-line backlit LCD display
- 8 flexible CO buttons
- 2 Ethernet ports (1000 Base-T)
- Power-over-Ethernet (PoE)
- Eco mode
- Optional Wall Mount Kit
- Available in black or white



## KX-NT505

### 48-button console

- 48 DSS buttons, to be used in full flexibility e.g.:
  - Direct station selection
  - Pre-programmable one-touch number dialing
  - Frequently used features
  - Busy station signalling
- Direct connected to the KX-NT556/KX-NT553
- Maximum of 4 DSS consoles per phone can be connected
- Wall mountable
- Available in black or white

# Panasonic

#### Trademarks and registered trademarks

- Microsoft®, Windows® and Outlook® are registered trademarks of Microsoft Corporation in the U.S. and other countries.
- The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Panasonic Corporation is under licence.
- Other trademarks and trade names are those of their respective owners.

#### Important

- Safety Precaution: carefully read the operating instructions and installation manual before using these products.

- Some models will be available to limited countries.
- The images shown of products display and lamps are composite images.
- Weights and dimensions are approximate.
- Design and specification subject to change without notice.
- These products may be subject to export control regulations.

---

DISTRIBUTED BY: